

Placa Base Gaming MSI M7 Z270 ATX LGA1151



Si eres un apasionado de la informática y la electrónica, te gusta estar a la última en tecnología y no perderte detalle, compra Placa Base Gaming MSI M7 Z270 ATX LGA1151 al mejor...

Calificación: Sin calificación

Precio

Precio con descuento 228,49 €

Precio de venta 276,48 €

Precio de venta sin impuestos 228,49 €

24 h
★★★★

[Haga una pregunta sobre este producto](#)

Descripción Si eres un apasionado de la **informática y la electrónica**, te gusta estar a la última en tecnología y no perderte detalle, compra **Placa Base Gaming MSI M7 Z270 ATX LGA1151** al mejor precio.

Marca

msi

Modelo

Z270 Gaming M7
(911-7A57-003)

Plataforma

- ATX (30.5 cm x 24.4 cm)

Chipset

- Intel® Z270 Chipset

CPU

- Soporta 6th/ 7th Gen Intel® Core™ i3/i5/i7, Intel® Pentium® y Celeron® procesadores para Socket **LGA1151**

Soportados

Memoria

- 4 x **DDR4** memory slots, soporta hasta 64GB

	<ul style="list-style-type: none">- 7th Gen procesadores soporta DDR4 4000(OC)/ 3800(OC)/ 3600(OC)/ 3200(OC)/ 3000(OC)/ 2800(OC)/ 2600(OC)/ 2400/ 2133 MHz*- 6th Gen procesadores soporta DDR4 3600(OC)/ 3200(OC)/ 3000(OC)/ 2800(OC)/ 2600(OC)/ 2400(OC)/ 2133 MHz*- Dual channel memory architecture- Soporta Intel® Extreme Memory Profile (XMP)
Slots Expansión	<ul style="list-style-type: none">- 3 x PCIe 3.0 x16 slots (soporta x16/x0/x0, x8/x8/x0, x8/x4/x4 modes)- 3 x PCIe 3.0 x1 slots
Gráficos	<ul style="list-style-type: none">- 1 x HDMI™, 4096x2160@30Hz(7th Gen CPU), 4096x2160@24Hz(6th Gen CPU), 2560x1600@60Hz- 1 x DisplayPort, 4096x2304@24Hz, 2560x1600@60Hz, 3840x2160@60Hz, 1920x1200@60Hz
	Multi-GPU <ul style="list-style-type: none">- Soporta 2-Way NVIDIA® SLI™ Technology- Soporta 3-Way AMD® CrossFire™ Technology
Puertos E/S,	Internos
Conectores	<ul style="list-style-type: none">- 1 x 24-pin ATX main power- 1 x 8-pin ATX 12V power- 1 x 4-pin ATX 12V power- 6 x SATA 6Gb/s- 1 x U.2- 3 x M.2 slots- 1 x USB 3.1 Gen2 Type-C- 2 x USB 3.1 Gen1- 2 x USB 2.0- 1 x 4-pin CPU fan- 1 x 4-pin water pump fan- 4 x 4-pin system fan- 1 x Front panel audio- 2 x Front panel- 1 x RGB LED- 1 x Chassis Intrusion- 1 x Clear CMOS- 1 x Low Temperature Booting- 1 x 2-pin Slow mode- 1 x 2-pin OC retry- 1 x 2-pin OC Force enter BIOS- 1 x 2-pin Discharge- 1 x 2-Digit Debug Code LED
	Externos <ul style="list-style-type: none">- 1 x PS/2 teclado y ratón combo- 3 x USB 2.0 Type-A ports- 1 x Clear CMOS button- 1 x DisplayPort- 1 x HDMI™- 1 x LAN (RJ45)- 2 x USB 3.1 Gen1 Type-A- 1 x USB 3.1 Gen2 Type-A- 1 x USB 3.1 Gen2 Type-C- 1 x Optical S/PDIF OUT- 5 x OFC audio jacks
Otras	Almacenamiento
Características	<ul style="list-style-type: none">- 6 x SATA 6Gb/s- 1 x U.2 port- Soporta hasta PCIe 3.0 x4 NVMe U.2 SSD- 3 x M.2 slots (Key M)- M2_1 slot Soporta hasta PCIe 3.0x4 y SATA 6Gb/s standards, 2242/ 2260 /2280/ 22110 storage devices- M2_2 slot Soporta hasta PCIe 3.0x4 standard, 2242/ 2260 /2280 storage devices- M2_3 slot Soporta hasta PCIe 3.0x4 y SATA 6Gb/s standards, 2242/ 2260 /2280 storage devices- Intel® Optane™ Memory Ready para all M.2 slots- Soporta Intel® Smart Response Technology para Intel Core™ procesadores

RAID

- Soporta **RAID 0, RAID 1, RAID 5 y RAID 10** para SATA storage devices
- Soporta RAID mode para M.2 PCIe storage devices

Red

- 1 x Killer™ E2500 Gigabit LAN controller

Audio

- Dual Realtek® ALC1220 Codec
- 7.1-Channel High Definition Audio

Puertos USB

- 2 x USB 3.1 Gen2 (SuperSpeed USB 10Gbps)
- f*- 1 x USB 3.1 Gen2 (SuperSpeed USB 10Gbps)
- 6 x USB 3.1 Gen1 (SuperSpeed USB)
- 7 x USB 2.0 (High-speed USB)

Montaje

- 9 mounting holes
- 12-01-2017 por MSB

Fecha Revisión

Comentarios

Aún no hay comentarios para este producto.